

UNCLASSIFIED

AD NUMBER	
AD325766	
CLASSIFICATION CHANGES	
TO:	UNCLASSIFIED
FROM:	CONFIDENTIAL
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; APR 1957. Other requests shall be referred to Army Electronic Proving Ground, Attn: Electronic Warfare Dept., Fort Huachuca, AZ.	
AUTHORITY	
USAEPG ltr dtd 10 Jan 1980 USAEPG ltr dtd 10 Jan 1980	

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD NUMBER

AD325766

CLASSIFICATION CHANGES

TO:

CONFIDENTIAL

FROM:

SECRET

AUTHORITY

30 Apr 1960, Group-3, DoDD 5200.10, per
document marking

THIS PAGE IS UNCLASSIFIED

THIS REPORT HAS BEEN DELIMITED
AND CLEARED FOR PUBLIC RELEASE
UNDER DOD DIRECTIVE 5200.20 AND
NO RESTRICTIONS ARE IMPOSED UPON
ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE,
DISTRIBUTION UNLIMITED.

UNCLASSIFIED

AD 325 766

CLASSIFICATION CHANGED

TO: UNCLASSIFIED
FROM CONFIDENTIAL

AUTHORITY:

USAEPG 1+c, 10 Jan 80



UNCLASSIFIED

CLASSIFIED

AD 325 766


*Reproduced
by the*

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

AD No. 325766

ASTIA FILE COPY



PRELIMINARY STUDY

AEPG-SIG 920-83

ELECTRONIC COUNTERMEASURES AGAINST INFRARED DEVICES (U)

PROJECT 32-56-0013

EW SYSTEMS TEST

USAEPG-3

PHASE III

ORGANIZATION AND
CONCEPT OF EMPLOYMENT

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE
MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C.,
SECTIONS 793 AND 794, THE TRANSMISSION OR REVELATION
OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON
IS PROHIBITED BY LAW.

REGARDING DATA CAN NOT BE PREDETERMINED.

U.S. ARMY ELECTRONIC PROVING GROUND
FORT HUACHUCA, ARIZONA

APRIL 1957

DOWNGRADED AT 12 YEAR
INTERVALS; NOT AUTOMATICALLY
DECLASSIFIED. DOD DIR 5200.10

THIS DOCUMENT CONSISTS OF 11 PAGES,
COPY 132 OF 150 COPIES

AG-S-8708

HEADQUARTERS
U. S. ARMY ELECTRONIC PROVING GROUND
FORT HUACHUCA, ARIZONA

17 APR 1957

USAEPC-SIG 920-83, "Project 33-50-0013, "Preliminary Study, Electronic Countermeasures Against Infrared Devices" (U), has been prepared by the Electronic Warfare Department for the information of all concerned. Suggestions or criticisms on the form, contents, or use thereof, are invited, and recommendations may be submitted to the Commanding General, U. S. Army Electronic Proving Ground, Fort Huachuca, Arizona, ATTN: SIGPC-DCGO.

FOR THE COMMANDER

OFFICIAL:

HENRY T. BULLOCK
Colonel GS
Chief of Staff


JBA K. COLLUMS

Major SIGC
Act Asst AG

Distribution:
(5; serial)

SECRET

Preliminary Study

ELECTRONIC COUNTERMEASURES
AGAINST INFRARED DEVICES (U)
(Project 32-56-0013)

April 1957



Electronic Warfare Department
U. S. ARMY ELECTRONIC PROVING GROUND
Fort Huachuca, Arizona

Contractual Services

ARMOUR RESEARCH FOUNDATION
Contract No. DA-36-039 sc-67463

1

SECRET

SECRET

FOREWORD

This study is one of a series of studies in the U.S. Army Electronic Proving Ground Technical Program, Project 32-56-0013, (USAEPG-3 EW Systems Test) to clarify the problems of electronic warfare in the Field Army area. This study is concerned with techniques and equipments utilizing infrared.

H. McD. BROWN
Col SigC
Chief, Electronic Warfare Department

SECRET

SECRET

ABSTRACT

↙ The requirements and capabilities of available infrared countermeasures for the Field Army are evaluated. Particular techniques and equipments that should be developed for the future Field Army are listed. ↗ As tactical units that have been proposed for radio-frequency VT-fuze countermeasures can also employ infrared countermeasures, no additional provisions for organization are required.

SECRET

SECRET

CONTENTS

	Page
Foreword	2
Abstract	3
Section I. Summary.	5
Section II. Introduction.	6
1. Purpose	6
2. Background.	6
3. Enemy Capabilities.	6
Section III. Infrared Equipment, Technical Considerations . . .	8
4. Active Equipment.	8
5. Passive Equipment	8
Section IV. Surveillance Countermeasures, Present Army.	9
6. Available Equipment	9
7. Concept	9
8. Technical Considerations.	9
9. Equipment Requirements.	10
Section V. Surveillance Countermeasures, Pentana Army	11
10. Concept	11
11. Technical Considerations.	11
12. Equipment Requirements.	11
Section VI. Proximity Fuses	12
13. Technical Considerations.	12
14. Concept	12
15. Equipment Requirements.	12
Section VII. Conclusions.	13
Bibliography	14

SECRET

Section I. Summary

→ Although only fragmentary qualitative and quantitative data on Soviet infrared equipment is available, the assumed direction that development in infrared techniques and equipment in the guided-missile field will take is pointed out. The difference between active and passive infrared equipment is explained. Visible illumination in night operations from requests through normal communication channels to counter enemy use of infrared detectors is recommended until at a much later date when infrared viewers will be available in quantity. The design of uniforms and equipment to prevent infrared reflectivity is recommended. The development of intercept receivers and pulsed and modulated-light countermeasures against infrared-fuzed proximity missiles is also recommended. As the tactical units that have been proposed for radio-frequency VT-fuze countermeasures can also employ infrared countermeasures, no additional provisions for organization are required.

SECRET

SECRET

Section II. Introduction

1. PURPOSE

It is the purpose of this report to present an assessment of the infrared countermeasures requirements and capabilities of the Field Army and to suggest organizational structures to best utilize these capabilities within the framework of present Field Army structure and within the structure of a Pentana-type Army. In the latter case, the probable development of enemy infrared equipment and the requirements to counter this equipment will be considered.

2. BACKGROUND

The fields covered by the term "infrared" are diverse. Its primary connotation is that applying to "seeing in the dark", and this has been its principal application in modern warfare. The use of infrared as an aid to night fighting can be expected to increase in importance as improved equipment becomes available and as the scale of night operations increases. It is to be expected that accentuation of night operations will be required to reduce vulnerability to enemy mass destruction weapons and to keep pressure on the enemy for the most effective exploitation of friendly atomic weapons. As these night operations must be as secure from detection as possible, infrared, rather than visible light, is advantageous.

Certain other technical functions that are now performed by radio-frequency devices can be shifted to utilize the infrared portion of the spectrum. As infrared techniques and equipment become further developed, it is reasonable to expect their application to increase in those fields where the use of shorter wavelengths provide advantages or where limitations occur in the use of radio frequencies (i.e., crowding of the radio spectrum or availability of well developed radio-frequency countermeasures). These applications include proximity fuzes, radar, and missile guidance and homing.

The development of infrared countermeasures equipment and techniques does not appear commensurate with the probable need for them.

3. ENEMY CAPABILITIES

No information appertaining to types of characteristics of current Soviet infrared equipment, the quantity of such equipment, if any, or its tactical employment is available.

Fragmentary data obtained shortly after World War II by prisoner

SECRET

SECRET

interrogation, knowledge of German World War II infrared equipment known to be in Soviet hands, and estimates of Soviet technical capabilities have led military infrared authorities in this country to believe that Soviet infrared equipment is no more advanced than that in use by the United States; however, it may be available in larger quantity, particularly in the near infrared region, which includes active equipment for night driving and related purposes.

SECRET

SECRET

Section III. Infrared Equipment, Technical Considerations

4. ACTIVE EQUIPMENT

Active infrared, often termed "near-infrared", equipment utilizes detector and wavelength conversion units associated with infrared illuminating sources. The infrared radiation reflected from the target is detected and converted to a visible image or indication. Representative of this class of equipment are the Sniperscope and the Leaflet II night-driving equipment. The following general statements can be made of this equipment but active infrared, which is not itself a countermeasure, is of advantage in a countermeasure program only as a means of locating the enemy equipment to be countered.

1. Near-infrared detectors can detect the active source at a considerably greater distance than the user of the active source can see.
2. Direction of fire against the illuminating source is a direct and effective countermeasure.
3. Evasive action may be taken to escape detection.
4. Camouflage is effective. It is required that the infrared reflectivity of the surface to be protected be as nearly as possible identical to that of the background.
5. Active infrared equipment is in an advanced state of development.

5. PASSIVE EQUIPMENT

Passive infrared equipment detects target radiation and does not require an illuminating source. The following considerations apply:

1. There is no known method of detecting passive infrared viewers since they do not radiate.
2. Camouflage is effective but different in principle from that used against active infrared. It is required that the temperature and emissivity of the camouflaged surface be as nearly as possible identical to that of the surrounding terrain.
3. Present United States passive infrared equipments are of doubtful or unproved utility in field service. Improved and field-useful devices can be expected to be available in the near future.

SECRET

SECRET

Section IV. Surveillance Countermeasures,
Present Army

6. AVAILABLE EQUIPMENT

1. Metascope, type US/F

The metascope is a passive device that accepts near infrared. It weighs 14 ounces and is enclosed in a 3-inch cubical metal case. A radium button serves as power supply.

2. Image metascope

The image metascope gives an improved capability for viewing near infrared but requires an internal electric power source. Models that utilize either batteries or hand crank generators have also been fabricated.

7. CONCEPT

Metascopes, which are presently distributed (146 per infantry division), are to determine if and when the enemy employs active infrared. Communication via normal command channels will be used to request howitzer illuminating shell or searchlight illumination of the battle area.^{3*}

No specific electronic-warfare organization is required to carry out this concept.

8. TECHNICAL CONSIDERATIONS

The use of visible illumination as a counter to enemy use of active infrared has the following advantages:

1. Near-infrared capabilities of the enemy do not force us to develop equal capabilities to avoid suffering a disadvantage. The intolerable situation wherein we are required to carry in reserve a large quantity of seldom-used infrared equipment is avoided.

* Superior numbers refer to items in the bibliography.

SECRET

SECRET

2. The weight, bulk, and limited capability of near-infrared equipment as compared to visible illuminating sources gives us a margin of advantage over the enemy who uses near infrared.
3. In most cases, use of visible illumination will force the enemy to turn to visible illumination also.

9. EQUIPMENT REQUIREMENTS

1. There is a requirement for a metascope which, in addition to its surveillance function, may be used as a rifle sight so that aimed fire may be directed at enemy near-infrared sources.
2. There is a requirement for camouflage of the following types:
 - a. The infrared reflectance of uniforms and equipment used at the front lines should be such that they will blend with the terrain.
 - b. Power equipment (vehicles, generators) used within range of enemy viewers should be designed so as not to radiate with appreciable intensity in the near-infrared region.
 - c. It is recommended that design of new equipment be done with these factors as partial criteria. Extensive modification of present equipment is not warranted.

SECRET

SECRET

Section V. Surveillance Countermeasures, Pentagon Army

10. CONCEPT

1. The design of Army equipment will be such as to make difficult its detection by passive-infrared viewers with particular emphasis on prevention of detection by airborne infrared surveillance.
2. Improved retascope-size viewers with intermediate infrared capability will be used to determine if and when the enemy is utilizing active infrared. Communication via normal command channels will be used to request howitzer illuminating shells or searchlight illumination of the battle area.
3. No specific electronic-warfare organization is required to carry out this concept.

11. TECHNICAL CONSIDERATIONS

1. The absence of a means of detection of enemy use of passive-infrared surveillance imposes the logical requirement that all night movements be protected from infrared surveillance. The magnitude of this protection requirement appears to preclude a continuous camouflage effort in the field. The importance of early action at the design and production level to provide "built-in" camouflage by such means as concealing hot spots of vehicles is, therefore, clear.
2. Abandonment of the concept of visible battlefield illumination as countermeasure to enemy use of active infrared appears to await the development of lightweight, inexpensive passive viewers suitable for distribution to all personnel. It is not considered likely that such equipment will be available in the 1960-70 period.

12. EQUIPMENT REQUIREMENTS

1. It is required that concealment of hot spots from passive-infrared detection be given serious consideration in the development of all new vehicles and weapons.
2. Improved lightweight, passive infrared viewers with far-infrared capabilities are required in advance of enemy development in this field.

SECRET

Section VI. Proximity Fuzes

13. TECHNICAL CONSIDERATIONS

1. The use of infrared instead of radio wavelengths to detect proximity to targets is technically feasible and presents a reasonable enemy counter to radio fuse jamming.
2. It is most probable that the infrared fuzes which will be encountered will be either the "rise time" or "modulated source" types. These types are both active (i.e. radiating) fuzes and may operate either in the visible or the infrared spectrum.
3. The "rise time" fuse is detonated when its return signal increases in amplitude rapidly as it approaches its target. A pulse of infrared energy such as may be obtained from a shuttered searchlight will predetonate such a fuse.
4. The "modulated source" fuse detonates only on receipt of a signal varying at the fuse modulation frequency. A probable upper limit for this frequency considering the present state of the art is 10,000 cps. A swept, modulated-frequency, broad-band jammer is indicated as countermeasure equipment.

14. CONCEPT

Tactical units proposed for radio frequency VT-fuse countermeasures will be given infrared-countermeasures capabilities and responsibilities also.

No additional electronic-warfare organization is required to carry out this concept.

15. EQUIPMENT REQUIREMENTS

1. There is a requirement for a light source radiating in both the visible and near infrared portions of the spectrum which will provide: single pulse output and frequency swept pulse output.
2. There is a requirement for an intercept receiver capable of determining the pulse repetition rate of modulated source fuzes.

SECRET

Section VII. Conclusions

16. From this study, the following conclusions are made:
1. Infrared surveillance countermeasures do not require specific electronic-warfare organizations for their implementation.
 2. Infrared-proximity-fuze countermeasures can be implemented in conjunction with radio-frequency-fuze countermeasures and by the same electronic-warfare organization.
 3. There is and will be need for continual improvement of miniature light-weight infrared viewers that are adaptable for use as infrared weapons sights.
 4. Primary emphasis in the infrared-surveillance-countermeasures field is required at the design and manufacturing level. Army field equipment should embody infrared concealment as a design criterion.

SECRET

SECRET

BIBLIOGRAPHY

1. Army Field Forces Board 5, Infrared Development Program, (Secret) Army Field Forces Board 5, Fort Bragg, N.C. November 1954.
2. Brown University, The Military Role of Infrared Detection, Project Metcalf, Final Report in two volumes, (Secret) Brown University, Providence, Rhode Island. October 1952.
3. Headquarters CONARC, Fort Monroe, Va., Combat Operations Research Group, Combat Developments Section, Requirements for Infrared Equipment for use by the Army in the Field During the Period 1960-70, Special Study, (Secret) Combat Operations Research Group, Combat Developments Section, Headquarters CONARC, Fort Monroe, Va. September 1955.

SECRET

NUMBER AD-S-8708	FROM Printing Plant (FH-CDC)	DATE RECEIVED	CLERK NL	FILE AEPG-SIG 920-83	SUSPENSE DATE
SUMMARY (Type, file number, source, date and subject or short title)					
Cy 132 of 150 cys, Preliminary Study, Apr 57, Subj: Electronic Countermeasures Against Infrared Devices (U)					
R O U T I N G	TO EWD	TO	TO	TO	TO
	DATE	DATE	DATE	DATE	DATE
	PRINTED NAME	PRINTED NAME	PRINTED NAME	PRINTED NAME	PRINTED NAME
	SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE
ACTION TAKEN			REMARKS		

DA FORM 1 SEP 58 1203 (6-PART)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

CLASSIFIED DOCUMENT MAIL CONTROL RECORD
AND RECEIPT
(AR 380-5)

4

NUMBER AG-S-8708	FROM Printing Plant (FH-CDC)	DATE RECEIVED	CLERK NL	FILE AEPG-SIG 920-83	SUSPENSE DATE
SUMMARY (Type, file number, source, date and subject or short title)					
Cy 132 of 150 cys, Preliminary Study, Apr 57, Subj: Electronic Countermeasures Against Infrared Devices (U)					
R O U T I N G	TO EWD	TO	TO	TO	TO
	DATE 4 Oct 61	DATE	DATE	DATE	DATE
	PRINTED NAME J. A. BROAD	PRINTED NAME	PRINTED NAME	PRINTED NAME	PRINTED NAME
	SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE
ACTION TAKEN			REMARKS		

DA FORM 1 SEP 58 1203 (6-PART)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

CLASSIFIED DOCUMENT MAIL CONTROL RECORD
AND RECEIPT
(AR 380-5)

1

~~SECRET~~
CLASSIFIED DOCUMENT REVIEW AND INSTRUCTIONS

DOCUMENT NO <u>AG-3-8708</u>	DATE OF DOCUMENT <u>Apr 57</u> DATE OF AUTOMATIC RECLASSIFICATION _____	SUSPENSE DATE: _____ (For Reclassification Review if Applicable)
---------------------------------	--	---

DATE RECEIVED								
RECOMMENDATIONS	1	2	3	4	5	6	7	8
Fwd to: ACTION								
File:								
DATE REVIEWED								
DESTROY (Disposition Authority)								
RETIREMENT DATE								
OTHER								

<p>INSTRUCTIONS: This form will accompany the classified document at all times and given the highest classification of the document it transmits. Care will be exercised not to divulge any classified information on this form. Each Reviewer will justify his recommended action in the comment section. This form must be initiated prior to forwarding any document to the Tech Library (except documents recently published) or document will be returned for review. The reverse side is reserved for the Classified Document Custodian to transmit the document(s) for disposition. Each Reviewer will sign Comment and list Organization or Department.</p>	<p>Comment:</p> <p>Comment:</p> <p>Comment:</p> <p>Comment:</p> <p>Comment:</p> <p>Comment:</p> <p>Comment:</p>
--	---

DD-82 Form 230
1 Mar 57

~~SECRET~~

Edition of 1 Sep 57 is obsolete

REMOVED UNCLASSIFIED WHEN
SEPARATED FROM CLASSIFIED
ENCLOSURES

TRANSFER INSTRUCTIONS

CONTROL NO. AND/OR SHORT TITLE (IF APPLICABLE)		DATE OF DOCUMENT	NUMBER OF COPIES	COPY NUMBER(S)

FROM	TO	DATE	ACTION DESIRED AND SIGNATURE